



## INCRA TS-LS Fence System & Router Table Compatibility

Rev 09/2009

|   |  | TS-LS<br>32" | TS-LS<br>52" | 28" x 21"<br>Left-side<br>Router<br>Table | 28" x 32"<br>Right-side<br>Router<br>Table | 32" x 21"<br>Left-side<br>Router<br>Table | 32" x 32"<br>Right-side<br>Router<br>Table |
|---|--|--------------|--------------|---|--|---|--|
| 10" Contractor's Saws - 27" deep top, motor on rear of saw, belt drive  | Sears Craftsman, Delta, Jet JW-TS10, Powermatic 64, Ridgid TS3650, Grizzly 1022, General, Saw Stop Contractors's saw, etc. | ★            | ★            | ★   | 9  | N/A                                       | N/A  |
| Standard right-tilt 10" Cabinet Saws - 27"-28" deep top, 220 Volt motor underneath, motor door on right side of cabinet | Jet JTAS-10, pre-2009 Delta Unisaw, General 350, Grizzly 1023R, Steel City, etc.   | ★            | ★            | ★   | 2  | N/A                                       | N/A  |
| Standard left-tilt 10" Cabinet Saws - 27"-28" deep top, 220 Volt motor underneath, motor door on left side of cabinet   | Powermatic 66, pre-2009 Delta Unisaw, Jet JTAS-10L, General 650, Grizzly 1023L, Steel City, Saw Stop PCS, etc.             | ★            | ★            | N/A                                       | ★  | N/A                                       | N/A  |
| Non-Standard, oversize Cabinet Saw  | Saw Stop 10" Industrial Cabinet Saw, motor door on right, 220V motor   | 4            | 4            | N/A                                       | N/A  | ★   | 2  |
| Non-Standard, oversize Cabinet Saw  | 2009 and newer Delta Unisaw, hand wheels on front of cabinet, motor door on left   | 4            | 4            | N/A                                       | N/A  | N/A                                       | ★  |
| Non-Standard, oversize Cabinet Saw  | Powermatic PM-2000 10" Cabinet Saw, motor door on left, built-in wheel system  | 4            | 4            | N/A                                       | N/A  | N/A                                       | ★  |
| Non-Standard, oversize Cabinet Saw  | Jet Deluxe X-Acta Saw 10", left tilt, 220V motor, motor door on left, storage drawer in cabinet bottom                     | 4            | 4            | N/A                                       | N/A  | N/A                                       | ★  |
| Portable Jobsite Table Saws   | Bosch L4000 & 4100, Ridgid 2400LS, DeWalt DW744, etc.  | 1, 9         | 1, 9         | 8, 9                                      | 8, 9                                       | N/A                                       | N/A  |
| Hybrid-style cabinet saw - 110V motor underneath  | Craftsman 922104, 922114, & 922124; Delta Hybrid 36-700 series, large motor door on right side of cabinet                  | ★            | ★            | ★   | 2  | N/A                                       | N/A  |
| Hybrid-style cabinet saw - 110V motor underneath  | DeWalt DW746, motor housing on right side of cabinet   | 7            | 7            | ★   | 2  | N/A                                       | N/A  |
| Hybrid-style cabinet saw - 110V motor underneath  | Jet Super Saw (JW-SS10). Motor underneath, access door flush with cabinet, 110V motor                                      | 1, 6         | 1, 6         | N/A                                       | 3  | N/A                                       | N/A  |
| Non-Standard, oversize European Cabinet Saw   | Laguna TS 10", Laguna TSS 12"  | 4            | 4            | N/A                                       | N/A  | N/A                                       | N/A  |

**Notes:**

1. Drilling of rail mounting holes either likely or required
2. Requires 92" rails / 52"-capacity TS-LS to move router clear of saw's motor housing
3. Rails must be positioned to far right during installation
4. Order "XL" version of TS-LS; saw requires longer-than-standard fence and base support panel
5. Requires either custom-depth router table or shop-made extension for router table hardware

6. Not compatible with sliding table
7. Use of sliding table requires drilling rail mounting holes
8. Router Tables must be cut to shorter depth to match smaller saws
9. Rail support legs required under right-hand end

★ Typical installation; saw's original splitter/guard may interfere with rear INCRA Rail